

Hearing Assessment Report

HIVE NOISE SOLUTIONS

John SMITH
171 Street
MELBOURNE VIC 3000

DOB: 10/11/1988 Age: 29 Sex: Male
Tel: Cost centre: Shift: DAY
Work No: 2654

Entered: 20/07/2018 Status: Permanent - Noise exposed Commencement Date: 17/05/2018 Years employed: 0
Department: CIVIL WORKS Company: THE NAME OF YOUR BUSINESS
Occupation: CONSTRUCTION WORKER Address: 123 HIVE ROAD
Comments: MELBOURNE VIC 3000

Previous Employers

1- ABC Company
2-
3-

Military service: Years
History of hearing troubles:

Comments:

Medical history (as of last test)

Noisy Hobbies: Ringing ears:
Power Tools: Frequent Colds:
Dizziness: Discharges:
Head injury: Mumps / Measles:
Surgery: Exposure to childhood antibiotics:
Exposure to explosive/gun fire:

Hearing Test

Date tested: 20/07/2018 16 :14 Age at test: 29
Test Type: Baseline test
Period of quiet before test: 15m
Protection worn before test:
Protection usually worn:
Currently has ear ache?:
Type of protection worn: Ear Plugs



Audiometer:
OSCILLA
Cal: JAN 2018
SN: 9301683

Air test

| | .5k | 1k | 1.5k | 2k | 3k | 4k | 6k | 8k | Hz |
|-------|-----|----|------|----|----|----|----|----|----|
| Left | 0 | 10 | 15 | 15 | 15 | 20 | 20 | 10 | dB |
| Right | 5 | 10 | 10 | 15 | 15 | 15 | 25 | 15 | dB |

| | Hearing Test | % Loss | Binaural |
|-------|--------------|--------|----------|
| Left | Normal | 0.0 | 0.0 |
| Right | Normal | 0.0 | |

% Loss age corrected, NAL Tables 1988



Comments:

Consent to provide results to employer - YES.

Analysis of the above test results show no abnormalities.

A new test should be conducted in 2 years at the same time to conform to regulations.

Tested by: Hive employee name Approval #: HIVE02

Date: 20/07/2018 Signed